









- 10.4
1024 768
- / 10
- / / 390
- 2
- 2 232/422/485
- 12-36 / /






CUT OUT Dimensions: $263^{+1.5}_{-0}$ X $210^{+1.5}_{-0}$ MM



CUT OUT Dimensions: $263^{+1.5}_{-0}$ X $210^{+1.5}_{-0}$ MM




CUT OUT Dimensions: $263^{+1.5}_{-0}$ X $210^{+1.5}_{-0}$ MM



				3-1215 /15- 1235 /17-1255 .15					
		2.0	.10	6412 4	5-12450 / 7- 12650 .25		390 6/8/9	7/ 5/ 3 .65	1151
				3-1315 /15- 1335 /17-1355 .15					
				5-13420 / 7- 13620 .25					
		1	-	4-3200,	1	-	5-5200	1	-
				16			32		16
		1	.2	2242/2280					
		1	7+15	3.0	1	.2	2242/2280		
					1	7+15	3.0		
		1	210	1	3	226-	1	210	4
				226-					
		2		232/422/485	2	232			
		4	3.0						
		1							
		1	1.4		1	1.4	1	1.2	
		1	.2	2230	6	1	.2	3052/3042	
		4	/5						
		4	3						
		1024	768						
		350	/ 2						
		900:1							
		30000							
		75 ()	, 75 ()	, 75 ()	, 75 ()				
		10	5						
		81%	(80%)					
		5000	1000						
		12-36	,	/ / /					
		275	222	71 (79)			
		7		10,	11,				
				0	50	(32 122)			
				-20	60	(-4 140)			
		95%	40	(-)			
		-20	60	(-4	140)			
		15	11						
		5	500	1					
		65							



-104 3 -		1024	8	256	2	4	2
-8 -	6412	768					
-104 5 -	3	1024	8	256	4	4	2
3-8 -	1215	768					
-104 5 -	5	1024	8	256	4	4	2
5-8 -	1235	768					
-104 5 -	7	1024	8	256	4	4	2
7-8 -	1255	768					
-104 5 -	5	1024	8	256	4	4	2
5-8 -	12450	768					
-104 5 -	7	1024	8	256	4	4	2
7-8 -	12650	768					
-104 5 -	3	1024	8	256	4	4	2
3-8 -	1315	768					
-104 5 -	5	1024	8	256	4	4	2
5-8 -	1335	768					
-104 5 -	7	1024	8	256	4	4	2
7-8 -	1355	768					
-104 5 -	5	1024	8	256	4	4	2
5-8 -	13420	768					



, 06519034-6 ,65 ,100-240 ,19 ,3.42 ,
 , ,0 +40 , ,

, -90 19,90 , 100 240 ,19 ,4.74 ,
 , / / ,0 40 , ,

, 15019079-6 ,150 ,100 240 ,18.05
 19.95 ,7.9 ,2 , ,0 40 , ,

, , - =1.5 , - 31
 -2 5, 300/500 ,3 0.75 2, , , ,

I/O ,JL396-39602G01, ,2Pin,3.96mm,Copper Alloy,90 ,
 ,NA,NA, ,ASS,JinLing

, ()



	- 16
	- 32
	.2 128 ,256 ,512 ,1 ,2
	2.5 128 ,256 ,512 ,1 ,2
	4 /5
	&
	2 232
	-4 , 0.1
	,75 100 ,
	,2Pin,3.81mm
	, , 304, =3.0,24 21.7 23
	, 180 ,