



IVS-215


Intel® Elkhart Lake /
Alder Lake/Raptor Lake -U/H/Z390



- 21.5
- 1920 1080
- 10
- /
- / / / 390
- 2
- 2 232/422/485
- 12-36 / /
- /





- | | |
|----------------|-----------|
| A: | B |
| C 4xUSB3.0 | D: ATX/AT |
| E 2RJ45 | F: 2COM, |
| RS 2 24 2248 5 | G: HDMI |
| H DC IN | |



- | | |
|-----------|----------------|
| A: | B |
| C HDMI | D: DP |
| E 2COM, | RS 2 24 2248 5 |
| F: ATX/AT | G: 4xUSB3.0 |
| H 4xRJ45 | I DC IN |

IVS-215


Intel® Elkhart Lake /
Alder Lake/Raptor Lake -U/H/Z390




CUT OUT Dimensions : $520.5^{+1.5}_{-0}$ X $312^{+1.5}_{-0}$ MM

IVS-215

Intel® Elkhart Lake /
Alder Lake/Raptor Lake -U/H/Z390



CUT & UT Dimensions : $520.5^{+1.5}_{-0}$ X $312^{+1.5}_{-0}$ MM



CUT & UT Dimensions : $520.5^{+1.5}_{-0}$ X $312^{+1.5}_{-0}$ MM

						LAN	USB	COM
-215 3 -	1920 10	8	256	2	4	2		
-8 - 6412	80							
-215 5 -	1920 10	8	256	4	4	2		
3-8 - 3- 1215	80							
-215 5 -	1920 10	8	256	4	4	2		
5-8 - 5- 1235	80							
-215 5 -	1920 10	8	256	4	4	2		
7-8 - 7- 1255	80							
-215 5 -	1920 10	8	256	4	4	2		
5-8 - 5- 12450	80							
-215 5 -	1920 10	8	256	4	4	2		
7-8 - 7- 12650	80							
-215 5 -	1920 10	8	256	4	4	2		
3-8 - 3- 1315	80							
-215 5 -	1920 10	8	256	4	4	2		
5-8 - 5- 1335	80							
-215 5 -	1920 10	8	256	4	4	2		
7-8 - 7- 1355	80							
-215 5 -	1920 10	8	256	4	4	2		
5-8 - 5- 13420	80							
300600023925	, 06519034-6 ,65 ,100-240 ,19 ,3.42 , , ,0 +40 , , ,							
300600016156	, -90 19,90 , 100 240 ,19 ,4.74 , , / / ,0 40 , , ,							
300600023479	, 15019079-6 ,150 ,100 240 ,18.05 19.95 ,7.9 ,2 , ,0 40 , , ,							
301800000605	, -2 5, , - =1.5 , , - 31 300/500 ,3 0.75 2, , , , ,							
301700021856	I/O ,JL396-39602G01, ,2Pin,3.96mm,Copper Alloy,90 , ,NA,NA, ,ASS,JinLing							
302700002073	, ()							



DDR4	- 16
DDR5	- 32
SSD	.2 128 ,256 ,512 ,1 ,2
HDD	2.5 128 ,256 ,512 ,1 ,2
4G/5GModule	4 /5
WiFi & Bluetooth Module	&
COM	2 232
POE	-4 , 0.1
	,75 100 ,
I/O	,2Pin,3.81mm
	, , , 304, ≈3.0,24 21.7 23 , 180 ,